according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MagNA Pure LC RNA Isolation Kit III (Tissue)

Product code : 03330591001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended restrictions : For professional users only.

on use

1.3 Details of the supplier of the safety data sheet

Company : Roche Diagnostics Deutschland GmbH

Sandhoferstrasse 116 68305 Mannheim Deutschland

Telephone : +496217590
Telefax : +496217592890
Responsible Department : +49(0)621-759-4223
E-mail address : info.dia-sds@roche.com

1.4 Emergency telephone number

In case of emergencies: : Central Works Security +49(0)621-759-2203

Roche Diagnostics GmbH

Centre for detoxification: : Mainz +49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product is a kit consisting of individual ingredients. The classification of the ingredients can be obtained from section 3. Section Label elements contains the resulting labelling for the kit.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms









Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 Date of first issue: 13.11.2012

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH032

Contact with acids liberates very toxic

gas.

EUH071 Corrosive to the respiratory tract.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P260 Do not breathe dust.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Wash Buffer I (d-WB I m/l)

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Acute toxicity, Category 4 H302: Harmful if swallowed.

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
guanidinium chloride	50-01-1 200-002-3 607-148-00-0 01-2119977063-35	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Acute toxicity estimate Acute oral toxicity: 475 mg/kg Acute inhalation toxicity (dust/mist): 3,2 mg/l	>= 30,0 - < 50,0
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 20,0 - < 30,0

For explanation of abbreviations see section 16.

Wash Buffer II

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Components

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
ethanol	64-17-5	Flam. Liq. 2; H225	>= 30,0 - <
	200-578-6	Eye Irrit. 2; H319	50,0
	603-002-00-5		
	01-2119457610-43		

For explanation of abbreviations see section 16.

Binding Buffer

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 Date of first issue: 13.11.2012

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 50,0 - < 70,0
Polidocanol	9002-92-0 500-002-6	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412 Acute toxicity estimate Acute oral toxicity: 1.000 mg/kg	>= 3,0 - < 10,0

For explanation of abbreviations see section 16.

DNase I

Classification (REGULATION (EC) No 1272/2008)

Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Components

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Nuclease, deoxyribo-	9003-98-9	Resp. Sens. 1; H334	>= 70,0 - <
	232-667-0	Skin Sens. 1; H317	90,0
Coloium oblorido dibydroto	10035-04-8	Evo Irrit 2: U210	>= 1,0 - < 10,0
Calcium chloride dihydrate	233-140-8	Eye Irrit. 2; H319	>= 1,0 - < 10,0
	017-013-00-2	Acute toxicity esti-	
	017 013 00 2	mate	
		mate	
		Acute oral toxicity:	
		2.120 mg/kg	

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012



DNase Incubation Buffer (IB)

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Components

Remarks : No hazardous ingredients

For explanation of abbreviations see section 16.

Magnetic Glass Particles

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Specific target organ toxicity - single ex-

posure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
propan-2-ol	67-63-0	Flam. Liq. 2; H225	>= 70,0 - <
	200-661-7	Eye Irrit. 2; H319	90,0
	603-117-00-0	STOT SE 3; H336	
	01-2119457558-25	(Central nervous	
		system)	

For explanation of abbreviations see section 16.

Proteinase K

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Specific target organ toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

Components

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

	EC-No. Index-No. Registration number		(% w/w)
Proteinase, Tritirachium album serine	39450-01-6 254-457-8 647-014-00-9	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	>= 70,0 - < 90,0

For explanation of abbreviations see section 16.

Proteinase K Incubation Buffer

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Chemical nature : Handle as potentially infectious.

Components

Remarks : No hazardous ingredients

For explanation of abbreviations see section 16.

Elution Buffer (EB)

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Components

Remarks : No hazardous ingredients

For explanation of abbreviations see section 16.

Lysis Buffer

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Skin corrosion, Sub-category 1C H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

guanidinium thiocyanate	593-84-0 209-812-1 615-004-00-3 01-2120735072-65	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Corr. 1C; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412 EUH032, EUH071 Acute toxicity estimate	>= 30,0 - < 50,0
		Acute oral toxicity: 593 mg/kg	
(R*,R*)-1,4-dimercaptobutane- 2,3-diol	3483-12-3 222-468-7 01-2120856806-42	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 1,0 - < 2,5
		Acute toxicity esti- mate	
		Acute oral toxicity: 300,03 mg/kg	

For explanation of abbreviations see section 16.

Proteinase K, PCR grade

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Specific target organ toxicity - single exposure, Category 3, Respiratory system

H335: May cause respiratory irritation.

Components

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Proteinase, Tritirachium album	39450-01-6	Skin Irrit. 2; H315	>= 70,0 - <
serine	254-457-8	Eye Irrit. 2; H319	90,0
	647-014-00-9	Resp. Sens. 1; H334	
		Skin Sens. 1; H317	
		STOT SE 3; H335	

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 Date of first issue: 13.11.2012

(Respiratory system)

For explanation of abbreviations see section 16.

Tissue Lysis Buffer

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Edetic acid disodium salt dihydrate (EDTA-2Na-2H2O)	6381-92-6 01-2119486775-20	Acute Tox. 4; H332 STOT RE 2; H373 (Respiratory system)	>= 1,0 - < 10,0

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Call a physician or poison control centre immediately.

Move to fresh air.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : Immediate medical treatment is necessary as untreated

wounds from corrosion of the skin heal slowly and with difficul-

ty.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Take victim immediately to hospital.

Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

In case of fire hazardous decomposition products may be

produced such as: Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

Hydrogen cyanide (hydrocyanic acid)

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

For safety reasons in case of fire, cans should be stored sepa-

rately in closed containments.

Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.
Remove all sources of ignition.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Evacuate personnel to safe areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with an electrically protected

vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

Treat recovered material as described in the section "Disposal considerations".

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Advice on protection against

fire and explosion

Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of

organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the techno-

logical safety standards.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 Date of first issue: 13.11.2012

Further information on stor-

age conditions

See label, package insert or internal guidelines

Storage class (TRGS 510) : 3

Further information on stor-

age stability

: No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Wash Buffer I (d-WB I m/l)

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
ethanol	64-17-5	AGW	200 ppm	DE TRGS
			380 mg/m3	900
	Peak-limit: ex	Peak-limit: excursion factor (category): 4;(II)		
	Further information: When there is compliance with the OEL and biological			
	tolerance valu	tolerance values, there is no risk of harming the unborn child		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m3
	Workers	Dermal	Chronic effects	343 mg/kg
	Workers	Inhalation	Chronic effects	950 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ethanol	Fresh water	0,96 mg/l
	Marine water	0,79 mg/l
	Fresh water sediment	3,6 mg/kg
	Soil	0,63 mg/kg

Wash Buffer II

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
ethanol	64-17-5	AGW	200 ppm	DE TRGS	
			380 mg/m3	900	
	Peak-limit: excursion factor (category): 4;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m3
	Workers	Dermal	Chronic effects	343 mg/kg
	Workers	Inhalation	Chronic effects	950 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value			
ethanol	Fresh water	0,96 mg/l		
	Marine water	0,79 mg/l		
	Fresh water sediment	3,6 mg/kg		
	Soil	0,63 mg/kg		

Binding Buffer

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis	
		of exposure)			
ethanol	64-17-5	AGW	200 ppm	DE TRGS	
			380 mg/m3	900	
	Peak-limit: ex	cursion factor (categ	ory): 4;(II)		
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m3
	Workers	Dermal	Chronic effects	343 mg/kg
	Workers	Inhalation	Chronic effects	950 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ethanol	Fresh water	0,96 mg/l
	Marine water	0,79 mg/l
	Fresh water sediment	3,6 mg/kg
	Soil	0,63 mg/kg

DNase I

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Nuclease, deoxyri- bo-	9003-98-9	IOEL	0,00006 mg/m3	Roche Industrial Hygiene Committee (RIHC)

DNase Incubation Buffer (IB)

Contains no substances with occupational exposure limit values.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 Date of first issue: 13.11.2012

Magnetic Glass Particles

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
propan-2-ol	67-63-0	AGW	200 ppm	DE TRGS
			500 mg/m3	900
	Peak-limit: ex	cursion factor (categ	ory): 2;(II)	
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
propan-2-ol	67-63-0	Acetone: 25 mg/l (Blood)	Immediately after exposure or after	TRGS 903
		(Blood)	working hours	
		Acetone: 25 mg/l (Urine)	Immediately after exposure or after	TRGS 903
		,	working hours	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
propan-2-ol	Workers	Dermal	Long-term systemic effects	888 mg/kg
	Workers	Inhalation	Long-term systemic effects	500 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propan-2-ol	Fresh water	140,9 mg/l
	Marine water	140,9 mg/l
	Fresh water sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Soil	28 mg/kg

Proteinase K

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Proteinase, Tritira- chium album ser- ine	39450-01-6	IOEL	0,00006 mg/m3	Roche Industrial Hygiene Committee (RIHC)

Proteinase K Incubation Buffer

Contains no substances with occupational exposure limit values.

Elution Buffer (EB)

Contains no substances with occupational exposure limit values.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Lysis Buffer

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
guanidinium thio- cyanate	593-84-0	IOEL	100 microgram per cubic meter	Category 1 (Roche Group Directive K1, Annex 3): OEL = 100 µg/m3

Proteinase K, PCR grade

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Proteinase, Tritira- chium album ser- ine	39450-01-6	IOEL	0,00006 mg/m3	Roche Industrial Hygiene Committee (RIHC)

Tissue Lysis Buffer

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

No data available

Personal protective equipment

Eye/face protection : Use eye protection according to EN 166.

Eye wash bottle with pure water Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

In case of contact through splashing:

Material : Nitrile rubber
Break through time : > 30 min
Glove thickness : > 0,11 mm

In case of full contact:

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : > 0,4 mm

Remarks : The selected protective gloves have to satisfy the specifica-

tions of Regulation (EU) 2016/425 and the standard EN 374

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

derived from it. This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective

gloves.

Skin and body protection : Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter. Effective dust mask

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Wash Buffer I (d-WB I m/I)

Physical state : liquid

Colour : colourless

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability : Sustains combustion

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : 29 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 6,6 (25 °C)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : 43 hPa

Relative density : No data available

Density : 1,057 g/cm3

Relative vapour density : No data available

Particle characteristics

Particle Size Distribution : Not applicable

Wash Buffer II

Physical state : liquid

Colour : colourless

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

24 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : ca. 7,4 (25 °C)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

16 / 97



according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : 43 hPa

Relative density : No data available

Density : 0,95 g/cm3

Relative vapour density : No data available

Particle characteristics

Particle Size Distribution : Not applicable

Binding Buffer

Physical state : liquid

Colour : blue

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

18 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : ca. 5,5

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : completely miscible

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : 43 hPa

Relative density : No data available

Density : 0,877 g/cm3

Relative vapour density : No data available

Particle characteristics

Particle Size Distribution : Not applicable

DNase I

Physical state : solid

Colour : light yellow

Odour : odourless

Odour Threshold : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

does not flash

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 6,5 - 7,5

(as aqueous solution)

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable


Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

18 / 97

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : No data available

Relative vapour density : Not applicable

Particle characteristics

Particle Size Distribution : No data available

DNase Incubation Buffer (IB)

Physical state : liquid

Colour : colourless

Odour : none

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability : Does not sustain combustion.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : ca. 7,0

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : No data available

Relative density : No data available

Relative vapour density : No data available

Particle characteristics

Particle Size Distribution : Not applicable

Magnetic Glass Particles

Physical state : liquid

Colour : black, brown

Odour : alcohol-like

Odour Threshold : No data available

Melting point/range : -89 °C

Boiling point/boiling range : 82 °C

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

12 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : 42 hPa (20 °C)

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Relative density No data available

Density 0,78 g/cm3

Relative vapour density No data available

Particle characteristics

Particle Size Distribution Not applicable

Proteinase K

Physical state solid, (lyophilised)

Colour white

Odour very faint

Odour Threshold Not applicable

Melting point/range No data available

Boiling point/boiling range No data available

Flammability Sustains combustion

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

does not flash

Auto-ignition temperature No data available

Decomposition temperature Decomposes on heating.

рΗ 6,5

(as aqueous solution)

Viscosity

Viscosity, dynamic Not applicable

Viscosity, kinematic Not applicable

Solubility(ies)

Water solubility soluble

No data available Solubility in other solvents

Partition coefficient: n-

octanol/water

No data available

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Vapour pressure : No data available

Relative density : No data available

Bulk density : ca. 35 kg/m3

Relative vapour density : Not applicable

Particle characteristics

Particle Size Distribution : No data available

Proteinase K Incubation Buffer

Physical state : liquid

Colour : colourless

Odour : none

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 8,0

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Relative density : No data available

Relative vapour density : No data available

Particle characteristics

Particle Size Distribution : Not applicable

Elution Buffer (EB)

Physical state : liquid

Colour : colourless

Odour : none

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : 100 °C

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : 23 hPa (20 °C)

Relative density : No data available

Density : 1 g/cm3 (20 °C)

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Relative vapour density : No data available

Particle characteristics

Particle Size Distribution : Not applicable

Lysis Buffer

Physical state : liquid

Colour : colourless

Odour : slight

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability : The product is not flammable., Does not sustain combustion.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

No data available

Auto-ignition temperature : No data available

Decomposition temperature : Hazardous decomposition products formed under fire condi-

tions.

pH : 5,0

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : No data available

Relative density : No data available

Relative vapour density : No data available

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Particle characteristics

Particle Size Distribution : Not applicable

Proteinase K, PCR grade

Physical state : solid

Colour : white

Odour : very faint

Odour Threshold : Not applicable

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability : Sustains combustion

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

does not flash

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 6,5

(as aqueous solution)

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : completely soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : No data available

Relative density : No data available

Relative vapour density : Not applicable

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Particle characteristics

Particle Size Distribution : No data available

Tissue Lysis Buffer

Physical state : liquid

Colour : colourless

Odour : none

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability : The product is not flammable., Does not sustain combustion.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 7,4

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : No data available

Relative vapour density : No data available

Particle characteristics

Particle Size Distribution : Not applicable

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012



9.2 Other information

Wash Buffer I (d-WB I m/l)

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Sustains combustion

Self-ignition : 425 °C

Evaporation rate : No data available

Miscibility with water : completely miscible

Wash Buffer II

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : 425 °C

Evaporation rate : No data available

Miscibility with water : completely miscible

Conductivity : 4.590 µS/cm

Binding Buffer

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : 425 °C

Evaporation rate : No data available

Miscibility with water : completely miscible

DNase I

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : No data available

Evaporation rate : No data available

Miscibility with water : No data available

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

DNase Incubation Buffer (IB)

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : The product is not flammable., Does not sustain combustion.

Self-ignition : No data available

Evaporation rate : No data available

Miscibility with water : completely miscible

Magnetic Glass Particles

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : 485 °C

Evaporation rate : No data available

Miscibility with water : completely miscible

Proteinase K

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Sustains combustion

Self-ignition : No data available

Evaporation rate : No data available

Miscibility with water : No data available

Proteinase K Incubation Buffer

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : No data available

Evaporation rate : No data available

Miscibility with water : completely miscible

Elution Buffer (EB)

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Does not sustain combustion.

Self-ignition : No data available

Evaporation rate : No data available

Miscibility with water : No data available

Lysis Buffer

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Does not sustain combustion.

Self-ignition : No data available

Evaporation rate : No data available

Miscibility with water : completely miscible

Proteinase K, PCR grade

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Sustains combustion

Self-ignition : No data available

Evaporation rate : No data available

Miscibility with water : No data available

Tissue Lysis Buffer

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Flammability (liquids) : Does not sustain combustion.

Self-ignition : No data available

Evaporation rate : No data available

Miscibility with water : completely miscible

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012



SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

Keep away from heat and sources of ignition.

Corrosive to many metals when in contact with water or hu-

midity.

Toxic gases may be released if in contact with the following:

sodium hypochlorite Strong oxidizing agents

Acids

No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Strong acids

Strong oxidizing agents

Cyanides

sodium hypochlorite

10.6 Hazardous decomposition products

Heating can release vapours which can be ignited.

This product may release the following:

Nitrogen oxides (NOx)

Hydrogen cyanide (hydrocyanic acid)

Carbon oxides Sulphur oxides

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Wash Buffer I (d-WB I m/I)

Acute toxicity

Harmful if swallowed.

Components:

guanidinium chloride:

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Acute oral toxicity : LD50 Oral (Rat, female): 475 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute toxicity estimate: 475 mg/kg Method: Calculation method

Acute inhalation toxicity : LC50 (Rat, female): 3,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

GLP: yes

LC50 (Rat, male and female): 5,32 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

LC50 (Rat, male): 7,7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Acute toxicity estimate: 3,2 mg/l Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 Dermal (Rabbit, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: No mortality observed at this dose.

ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10.470 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 124,7 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: no

Acute dermal toxicity : (Rabbit): 17.100 mg/kg

GLP: No information available.

Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.



according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Components:

guanidinium chloride:

Species : Rabbit Exposure time : 24 h

Result : Irritating to skin.

GLP : yes

ethanol:

Species : Rabbit Exposure time : 24 h

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

guanidinium chloride:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

GLP : yes

ethanol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

GLP : No information available.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

guanidinium chloride:

Test Type : Buehler Test Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

GLP : yes

ethanol:

Test Type : Maximisation Test Species : Guinea pig

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : no

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

guanidinium chloride:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster fibroblasts Method: OECD Test Guideline 473

Result: negative

GLP: no

ethanol:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: No information available.

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: No information available.

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Mouse (male) Application Route: Oral

Dose: 10 or 40% ethanol in water Method: OECD Test Guideline 478

Result: negative

GLP: No information available.

Carcinogenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Components:

ethanol:

Species : Mouse, male and female
Application Route : inhalation (vapour)
Exposure time : 18 month(s)

Control Group : yes

Frequency of Treatment : 19 hours/day

Method : OECD Test Guideline 453

Result : negative

GLP : No information available.

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

guanidinium chloride:

Effects on foetal develop: Species: Rat, female

ment Application Route: Oral

Dose: 50, 150, 350 mg/kg bw/day Duration of Single Treatment: 5 - 19 d

Developmental Toxicity: NOAEL: 350 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

ethanol:

Effects on fertility : Test Type: Two-generation study

Species: Mouse, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 20.700 mg/kg body weight

Method: OECD Test Guideline 416 Result: No effects on fertility GLP: No information available.

Effects on foetal develop-

ment

Species: Rat, female Strain: Sprague-Dawley

Application Route: Ingestion

Duration of Single Treatment: 6 Weeks

Developmental Toxicity: NOAEL: 5.200 mg/kg body weight

GLP: No information available.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

guanidinium chloride:

Species : Rat, male and female

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 24.01.2023 Date of first issue: 13.11.2012 7.0

NOAEL 100 mg/kg **Application Route** Oral Exposure time 90 d

25, 100, 300 mg/kg bw/day Dose **OECD Test Guideline 408** Method

GLP yes

ethanol:

Species Rat, male and female

LOAEL 3156 mg/kg

Application Route Oral : 14 Weeks

Exposure time

Dose : 0, 5, 10, 20 mg/Kg Method : OECD Test Guideline 408

GLP yes

Aspiration toxicity

Not classified based on available information.

Wash Buffer II

Acute toxicity

Not classified based on available information.

Components:

ethanol:

Acute oral toxicity LD50 (Rat, male and female): 10.470 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 124,7 mg/l

Exposure time: 4 h Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: no

Acute dermal toxicity (Rabbit): 17.100 mg/kg

GLP: No information available.

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

ethanol:

Species Rabbit Exposure time 24 h

OECD Test Guideline 404 Method

Result No skin irritation

GLP yes

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

ethanol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

GLP : No information available.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

ethanol:

Test Type : Maximisation Test Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : no

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

ethanol:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: No information available.

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: No information available.

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Mouse (male) Application Route: Oral

Dose: 10 or 40% ethanol in water Method: OECD Test Guideline 478

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Result: negative

GLP: No information available.

Carcinogenicity

Not classified based on available information.

Components:

ethanol:

Species : Mouse, male and female
Application Route : inhalation (vapour)
Exposure time : 18 month(s)

Control Group : yes

Frequency of Treatment : 19 hours/day

Method : OECD Test Guideline 453

Result : negative

GLP : No information available.

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

ethanol:

Effects on fertility : Test Type: Two-generation study

Species: Mouse, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 20.700 mg/kg body weight

Method: OECD Test Guideline 416 Result: No effects on fertility GLP: No information available.

Effects on foetal develop-

ment

Species: Rat, female Strain: Sprague-Dawley

Application Route: Ingestion

Duration of Single Treatment: 6 Weeks

Developmental Toxicity: NOAEL: 5.200 mg/kg body weight

GLP: No information available.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

ethanol:

Species : Rat, male and female

LOAEL : 3156 mg/kg

Application Route : Oral Exposure time : 14 Weeks

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Dose : 0, 5, 10, 20 mg/Kg

Method : OECD Test Guideline 408

GLP : yes

Aspiration toxicity

Not classified based on available information.

Binding Buffer

Acute toxicity

Not classified based on available information.

Components:

ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10.470 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 124,7 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: no

Acute dermal toxicity : (Rabbit): 17.100 mg/kg

GLP: No information available.

Remarks: Based on data from similar materials

Polidocanol:

Acute oral toxicity : LD50 Oral (Rat): 1.000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Acute toxicity estimate: 1.000 mg/kg

Method: Calculation method

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Skin corrosion/irritation

Not classified based on available information.

Components:

ethanol:

Species : Rabbit Exposure time : 24 h

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

38 / 97

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Polidocanol:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

ethanol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

GLP : No information available.

Polidocanol:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

GLP : yes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

ethanol:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : no

Remarks : Based on data from similar materials

Polidocanol:

Test Type : Draize Test Species : Guinea pig

Result : Does not cause skin sensitisation.

GLP : no

Germ cell mutagenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 Date of first issue: 13.11.2012

Components:

ethanol:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: No information available.

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: No information available.

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Mouse (male) Application Route: Oral

Dose: 10 or 40% ethanol in water Method: OECD Test Guideline 478

Result: negative

GLP: No information available.

Polidocanol:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster cells

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo : Test Type: in vivo assay

Species: Mouse (male)

Strain: B6C3F1

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Exposure time: 72 h Dose: 125 mg/kg Result: negative

Carcinogenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Components:

ethanol:

Species : Mouse, male and female
Application Route : inhalation (vapour)

Exposure time : 18 month(s)

Control Group : yes

Frequency of Treatment : 19 hours/day

Method : OECD Test Guideline 453

Result : negative

GLP : No information available.

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

ethanol:

Effects on fertility : Test Type: Two-generation study

Species: Mouse, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 20.700 mg/kg body weight

Method: OECD Test Guideline 416 Result: No effects on fertility GLP: No information available.

Effects on foetal develop-

ment

Species: Rat, female Strain: Sprague-Dawley

Application Route: Ingestion

Duration of Single Treatment: 6 Weeks

Developmental Toxicity: NOAEL: 5.200 mg/kg body weight

GLP: No information available.

Polidocanol:

Effects on foetal develop-

Test Type: Two-generation study

ment Species: Rat, female Application Route: Oral

Developmental Toxicity: NOAEL: 50 mg/kg bw/day

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

ethanol:

Species : Rat, male and female

LOAEL : 3156 mg/kg
Application Route : Oral
Exposure time : 14 Weeks

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Dose : 0, 5, 10, 20 mg/Kg

Method : OECD Test Guideline 408

GLP : yes

Polidocanol:

Species : Rat, male

NOAEL : 390 mg/kg bw/day

Application Route : Oral Exposure time : 22 d

Aspiration toxicity

Not classified based on available information.

DNase I

Acute toxicity

Not classified based on available information.

Components:

Calcium chloride dihydrate:

Acute oral toxicity : LD50 Oral (Rat, male): 2.120 mg/kg

Test substance: anhydrous substance Remarks: anhydrous substance

Acute toxicity estimate: 2.120 mg/kg

Method: Calculation method

Acute dermal toxicity : LD50 Dermal (Rabbit, male and female): > 5.000 mg/kg

Test substance: anhydrous substance Remarks: anhydrous substance

Skin corrosion/irritation

Not classified based on available information.

Components:

Calcium chloride dihydrate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation
Test substance : anhydrous substance

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Calcium chloride dihydrate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.
Test substance : anhydrous substance

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version **Revision Date:** Date of last issue: 01.02.2022 24.01.2023 Date of first issue: 13.11.2012 7.0

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Nuclease, deoxyribo-:

Assessment : May cause sensitisation by inhalation.

Assessment May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:

Calcium chloride dihydrate:

Genotoxicity in vitro Test Type: Microbial mutagenesis assay (Ames test)

> Test system: Salmonella typhimurium Metabolic activation: Metabolic activation

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Test substance: anhydrous substance

Test Type: Microbial mutagenesis assay (Ames test)

Result: negative

Test substance: anhydrous substance

Remarks: Information taken from reference works and the

literature.

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster fibroblasts Method: OECD Test Guideline 473

Result: negative

Test substance: anhydrous substance

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012



DNase Incubation Buffer (IB)

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Magnetic Glass Particles

Acute toxicity

Not classified based on available information.

Components:

propan-2-ol:

Acute oral toxicity : LD50 (Rat): 5.840 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 10000 ppm

Exposure time: 6 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: yes

Acute dermal toxicity : LD50 (Rabbit): 13.900 mg/kg

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Method: OECD Test Guideline 402

GLP: no

Skin corrosion/irritation

Not classified based on available information.

Components:

propan-2-ol:

Species : Rabbit Exposure time : 4 h

Result : No skin irritation

GLP : no

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

propan-2-ol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

GLP : no

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

propan-2-ol:

Test Type : Buehler Test Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

GLP : yes

Germ cell mutagenicity

Not classified based on available information.

Components:

propan-2-ol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative



according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

GLP: yes

Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: no

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

GLP: yes

Carcinogenicity

Not classified based on available information.

Components:

propan-2-ol:

Species : Rat, male and female Application Route : inhalation (vapour)

Exposure time : 104 weeks
Frequency of Treatment : 5 days/week

Method : OECD Test Guideline 451

GLP : yes

Reproductive toxicity

Not classified based on available information.

Components:

propan-2-ol:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

General Toxicity - Parent: NOAEL: 853 mg/kg body weight

Method: OECD Test Guideline 415

GLP: yes

Effects on foetal develop-

ment

Species: Rat, male and female

Application Route: Oral

Dose: 596, 1242, 1605 mg/kg bw/day Duration of Single Treatment: 6 - 16 d

General Toxicity Maternal: NOAEL: 596 mg/kg body weight Developmental Toxicity: NOAEL: 596 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

STOT - single exposure

May cause drowsiness or dizziness.

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 24.01.2023 Date of first issue: 13.11.2012 7.0

Components:

propan-2-ol:

Assessment May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

propan-2-ol:

Species Rat, male and female

NOAEC 5000 **Application Route** Inhalation Test atmosphere vapour Exposure time 104 Weeks

Dose : 500, 2500, 5000 ppm parts per million

GLP : yes

Aspiration toxicity

Not classified based on available information.

Proteinase K

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Components:

Proteinase, Tritirachium album serine:

Result Irritating to skin.

Remarks May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Proteinase, Tritirachium album serine:

Result Irritating to eyes.

Remarks May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.



according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 Date of first issue: 13.11.2012

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Proteinase, Tritirachium album serine:

Assessment : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

Assessment : May cause sensitisation by inhalation.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

Components:

Proteinase, Tritirachium album serine:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

Proteinase, Tritirachium album serine:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Not classified based on available information.

Components:

Proteinase, Tritirachium album serine:

No data available

Proteinase K Incubation Buffer

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012



Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Elution Buffer (EB)

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Lysis Buffer

Acute toxicity

Harmful if swallowed.

Components:

guanidinium thiocyanate:

Acute oral toxicity : LD50 Oral (Rat, female): 593 mg/kg

Method: OECD Test Guideline 401

Symptoms: Vomiting

GLP: yes

Acute toxicity estimate: 593 mg/kg Method: Calculation method

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract., The compo-

nent/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after

single contact with skin.

(R*,R*)-1,4-dimercaptobutane-2,3-diol:

Acute oral toxicity : LD50 (Rat, female): > 300 - < 2.000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Acute toxicity estimate: 300,03 mg/kg

Method: Calculation method

Acute toxicity (other routes of :

administration) Symptoms: May cause cardiac arrhythmia., Convulsions,

Vomiting

Skin corrosion/irritation

Causes severe burns.

Components:

guanidinium thiocyanate:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure

GLP : yes

(R*,R*)-1,4-dimercaptobutane-2,3-diol:

Species : human keratinocytes

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Exposure time : 4 h

Method : OECD Test Guideline 431

Result : Irritating to skin.

GLP : yes

Species : reconstructed human epidermis (RhE)

Exposure time : 60 min

Method : OECD Test Guideline 439

Result : Irritating to skin.

GLP : yes

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

(R*,R*)-1,4-dimercaptobutane-2,3-diol:

Species : Chicken eye

Exposure time : 10 s

Method : OECD Test Guideline 438
Result : Risk of serious damage to eyes.

GLP : yes

Species : Human Exposure time : 6 h

Method : OECD Test Guideline 492
Result : Risk of serious damage to eyes.

GLP : yes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

(R*,R*)-1,4-dimercaptobutane-2,3-diol:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 429

GLP : yes

Germ cell mutagenicity

Not classified based on available information.

Components:

guanidinium thiocyanate:


Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Roche

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Method: OECD Test Guideline 471

Result: negative GLP: yes

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: no

Test Type: gene mutation test Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes

(R*,R*)-1,4-dimercaptobutane-2,3-diol:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative GLP: yes

Test Type: Microbial mutagenesis assay (Ames test)

Test system: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

guanidinium thiocyanate:

Effects on fertility : Species: Rat, female

Application Route: Oral

Dose: 25 GLP: no

Remarks: No significant adverse effects were reported

Based on data from similar materials

Effects on foetal develop-

ment

Species: Rat, female

Application Route: Oral

Dose: 50, 150, 350 mg/kg bw/day

General Toxicity Maternal: NOAEL: 150 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 350 mg/kg body weight

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Method: OECD Test Guideline 414

GLP: yes

STOT - single exposure

Corrosive to the respiratory tract.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

guanidinium thiocyanate:

Species : Rat, male and female

NOAEL : 100 mg/kg

Application Route : Oral Exposure time : 90 d Number of exposures : daily

Dose : 25, 100, 300 mg/kg bw/day Method : OECD Test Guideline 408

GLP : yes

Aspiration toxicity

Not classified based on available information.

Proteinase K, PCR grade

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Components:

Proteinase, Tritirachium album serine:

Result : Irritating to skin.

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Proteinase, Tritirachium album serine:

Result : Irritating to eyes.

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.



according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Proteinase, Tritirachium album serine:

Assessment : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

Assessment : May cause sensitisation by inhalation.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

Components:

Proteinase, Tritirachium album serine:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

Proteinase, Tritirachium album serine:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Not classified based on available information.

Components:

Proteinase, Tritirachium album serine:

No data available

Tissue Lysis Buffer

Acute toxicity

Not classified based on available information.

Components:

Edetic acid disodium salt dihydrate (EDTA-2Na-2H2O):

Acute oral toxicity : LD50 Oral (Rat, male and female): 2.800 mg/kg





according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Method: OECD Test Guideline 401 Test substance: anhydrous substance

GLP: no

Acute inhalation toxicity : Lowest Observed Effect Concentration: ca. 0,03 mg/l

Exposure time: 6 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 412

GLP: yes

Assessment: The component/mixture is moderately toxic after

short term inhalation.

Skin corrosion/irritation

Not classified based on available information.

Components:

Edetic acid disodium salt dihydrate (EDTA-2Na-2H2O):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Edetic acid disodium salt dihydrate (EDTA-2Na-2H2O):

Species : Rabbit

Result : No eye irritation
Test substance : anhydrous substance

Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Edetic acid disodium salt dihydrate (EDTA-2Na-2H2O):

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Germ cell mutagenicity

Not classified based on available information.

Components:

Edetic acid disodium salt dihydrate (EDTA-2Na-2H2O):

Genotoxicity in vitro : Test Type: Ames test

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: no

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Edetic acid disodium salt dihydrate (EDTA-2Na-2H2O):

Exposure routes : Inhalation

Target Organs : Respiratory system

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Wash Buffer I (d-WB I m/I)

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Solvents may degrease the skin.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Wash Buffer II

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Solvents may degrease the skin.

Binding Buffer

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Solvents may degrease the skin.

DNase I

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

DNase Incubation Buffer (IB)

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Magnetic Glass Particles

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause

narcotic effects.

Solvents may degrease the skin.

Proteinase K

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Proteinase K Incubation Buffer

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Elution Buffer (EB)

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Lysis Buffer

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Proteinase K, PCR grade

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Tissue Lysis Buffer

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Wash Buffer I (d-WB I m/l)

Components:

guanidinium chloride:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 1.758 mg/l

End point: mortality Exposure time: 48 h Test Type: static test

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 70,2 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Method: OECD Test Guideline 202 GLP: No information available.

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 33,5

mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: Regulation (EC) No. 440/2008, Annex, C.3

GLP: yes

EC50 (Pseudokirchneriella subcapitata (green algae)): 11,8

mg/l

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes

Method: Regulation (EC) No. 440/2008, Annex, C.3

GLP: yes

NOEC (Pseudokirchneriella subcapitata (green algae)): 6,3

mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: Regulation (EC) No. 440/2008, Annex, C.3

GLP: yes

Toxicity to microorganisms : EC10 (Pseudomonas putida): 7.125 mg/l

End point: Growth rate Exposure time: 18 h Test Type: static test Method: DIN 38 412 Part 8

GLP: yes

Toxicity to fish (Chronic tox-

icity)

NOEC: > 181 mg/l

End point: mortality Exposure time: 35 d

Species: Pimephales promelas (fathead minnow)

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 210 GLP: No information available.

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 2,9 mg/l

End point: reproduction rate

Exposure time: 21 d

Species: Daphnia magna (Water flea)

Analytical monitoring: yes

Method: OECD Test Guideline 211 GLP: No information available.

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 15.300 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes GLP: No information available.

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Ceriodaphnia dubia (water flea)): 5.012 mg/l

Exposure time: 48 h Test Type: static test

GLP: No information available.

Toxicity to algae/aquatic

plants

EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 5 d Analytical monitoring: no

Method: OECD Test Guideline 201 GLP: No information available.

Toxicity to microorganisms : IC50 (activated sludge): > 1.000 mg/l

End point: Growth rate Exposure time: 3 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 209 GLP: No information available.

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC: 250 mg/l

Exposure time: 120 h

Species: Danio rerio (zebra fish) GLP: No information available.

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 9,6 mg/l

Exposure time: 7 d GLP: No information available.

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

Wash Buffer II

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Components:

ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 15.300 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes GLP: No information available.

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Ceriodaphnia dubia (water flea)): 5.012 mg/l

Exposure time: 48 h Test Type: static test

GLP: No information available.

Toxicity to algae/aquatic

plants

EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 5 d Analytical monitoring: no

Method: OECD Test Guideline 201 GLP: No information available.

Toxicity to microorganisms : IC50 (activated sludge): > 1.000 mg/l

End point: Growth rate Exposure time: 3 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 209 GLP: No information available.

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC: 250 mg/l Exposure time: 120 h

Species: Danio rerio (zebra fish) GLP: No information available.

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 9,6 mg/l Exposure time: 7 d

GLP: No information available.

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

Binding Buffer

Components:

ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 15.300 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

62 / 97



according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

GLP: No information available.

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Ceriodaphnia dubia (water flea)): 5.012 mg/l

Exposure time: 48 h Test Type: static test

GLP: No information available.

Toxicity to algae/aquatic

plants

EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 5 d Analytical monitoring: no

Method: OECD Test Guideline 201 GLP: No information available.

Toxicity to microorganisms : IC50 (activated sludge): > 1.000 mg/l

End point: Growth rate Exposure time: 3 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 209 GLP: No information available.

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC: 250 mg/l

Exposure time: 120 h

Species: Danio rerio (zebra fish) GLP: No information available.

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 9,6 mg/l

Exposure time: 7 d

GLP: No information available.

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

Polidocanol:

Toxicity to fish : LC50 (Salmo salar (Atlantic salmon)): 1,5 mg/l

End point: mortality Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 6,46 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

Exposure time: 72 h

Method: OECD Test Guideline 201

EbC50 (Desmodesmus subspicatus (green algae)): 1.502

ErC50 (Desmodesmus subspicatus (green algae)): 0,237 mg/l

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : (Photobacterium phosphoreum): 2,5 mg/l

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Test Type: EC50

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,144 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Method: QSAR

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Remarks: Expert judgement

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Remarks: Expert judgement

DNase I

Components:

Nuclease, deoxyribo-:

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

Calcium chloride dihydrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4.630 mg/l

Exposure time: 96 h

Test substance: anhydrous substance Remarks: anhydrous substance

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.400 mg/l

Exposure time: 48 h

Test substance: anhydrous substance Method: OECD Test Guideline 202 Remarks: anhydrous substance

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): >

4.000 mg/l

Exposure time: 72 h

Test substance: anhydrous substance Method: OECD Test Guideline 201

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

DNase Incubation Buffer (IB)

No data available

Magnetic Glass Particles

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Components:

propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10.000 mg/l

End point: mortality Exposure time: 96 h

Test Type: flow-through test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: no

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 10.000 mg/l

End point: Immobilization Exposure time: 24 h Test Type: static test Analytical monitoring: no

Method: OECD Test Guideline 202

GLP: no

Toxicity to algae/aquatic

plants

EC10 (Scenedesmus quadricauda (Green algae)): 1.800 mg/l

Exposure time: 7 d Test Type: static test Analytical monitoring: no

GLP: no

Toxicity to microorganisms : (Pseudomonas putida): 1.050 mg/l

Exposure time: 16 h Test Type: static test Analytical monitoring: no Method: DIN 38 412 Part 8

GLP: no

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

Proteinase K

Components:

Proteinase, Tritirachium album serine:

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

Proteinase K Incubation Buffer

No data available

Elution Buffer (EB)

No data available

65 / 97



according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Lysis Buffer

Components:

guanidinium thiocyanate:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 89,1 mg/l

End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no

Method: OECD Test Guideline 203

GLP: no

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 42,4 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: no

Method: OECD Test Guideline 202

GLP: no

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 130 mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test

GLP: No information available.

Toxicity to microorganisms : EC50 (activated sludge): > 185 mg/l

Exposure time: 28 d Test Type: static test

Method: OECD Test Guideline 302B

GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

(R*,R*)-1,4-dimercaptobutane-2,3-diol:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 34,8 mg/l

End point: Immobilization Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

GLP: ves

Remarks: nominal concentration

NOEC (Daphnia magna (Water flea)): 25,0 mg/l

End point: Immobilization Exposure time: 48 h Test Type: semi-static test

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Method: OECD Test Guideline 202

GLP: yes

Remarks: nominal concentration

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

24,3 mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: nominal concentration

NOErC (Raphidocelis subcapitata (freshwater green alga)):

3,2 mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Remarks: nominal concentration

NOEyC (Raphidocelis subcapitata (freshwater green alga)):

1,0 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: nominal concentration

Proteinase K, PCR grade

Components:

Proteinase, Tritirachium album serine:

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

Tissue Lysis Buffer

Components:

Edetic acid disodium salt dihydrate (EDTA-2Na-2H2O):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 41 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 140 mg/l

Exposure time: 48 h Test Type: static test Method: DIN 38412

Toxicity to microorganisms : EC20 (activated sludge): > 500 mg/l

Exposure time: 0,5 h

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to

the environment

No data available

12.2 Persistence and degradability Wash Buffer I (d-WB I m/l)

Components:

guanidinium chloride:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, adapted

Concentration: 10 mg/l

Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 33 d

Method: OECD Test Guideline 301C

GLP: yes

Impact on Sewage Treat-

ment

Do not discharge product into the aquatic environment without

pretreatment (biological treatment plant).

ethanol:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, non-adapted

Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

GLP: No information available.

Wash Buffer II

Components:

ethanol:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, non-adapted

Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

GLP: No information available.

Binding Buffer





according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Components:

ethanol:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, non-adapted

Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

GLP: No information available.

Polidocanol:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Concentration: 30 mg/l Result: Readily biodegradable.

Biodegradation: 74 % Exposure time: 28 d

Method: OECD Test Guideline 301C

DNase I

Components:

Calcium chloride dihydrate:

Biodegradability : Remarks: The methods for determining the biological degra-

dability are not applicable to inorganic substances.

DNase Incubation Buffer (IB)

No data available

Magnetic Glass Particles

Components:

propan-2-ol:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Readily biodegradable.

Biodegradation: 53 % Exposure time: 5 d

GLP: no

Proteinase K

No data available

Proteinase K Incubation Buffer

No data available

Elution Buffer (EB)

No data available

Lysis Buffer

Components:

guanidinium thiocyanate:

according to Regulation (EC) No. 1907/2006

MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, non-adapted

Concentration: 343 mg/l

Result: Inherently biodegradable.

Biodegradation: 46 % Exposure time: 28 d

Method: OECD Test Guideline 302B

GLP: no

(R*,R*)-1,4-dimercaptobutane-2,3-diol:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge, non-adapted

Concentration: 64,3 mg/l

Result: Not readily biodegradable.

Biodegradation: 53 % Exposure time: 43 d

Method: OECD Test Guideline 301B

GLP: yes

Remarks: The 10 day time window criterion is not fulfilled.

Physico-chemical removabil- :

ıty

Method: see user defined free text Remarks: Not abiotically degradable

Proteinase K, PCR grade

No data available

Tissue Lysis Buffer

Components:

Edetic acid disodium salt dihydrate (EDTA-2Na-2H2O):

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Wash Buffer I (d-WB I m/l)

Components:

guanidinium chloride:

Partition coefficient: n- : log Pow: < -1,7 (20 °C)

octanol/water pH: 7,4

Method: OECD Test Guideline 107

GLP: yes

ethanol:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is not expected.

Partition coefficient: n-

octanol/water

log Pow: -0,35 (24 °C)

pH: 7,4

Method: OECD Test Guideline 107 GLP: No information available.

70 / 97

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version **Revision Date:** Date of last issue: 01.02.2022 24.01.2023 Date of first issue: 13.11.2012 7.0

Wash Buffer II

Components:

ethanol:

Bioaccumulation Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is not expected.

Partition coefficient: n-: log Pow: -0,35 (24 °C)

octanol/water pH: 7,4

> Method: OECD Test Guideline 107 GLP: No information available.

Binding Buffer

Components:

ethanol:

Bioaccumulation Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is not expected.

Partition coefficient: n-

octanol/water

: log Pow: -0,35 (24 °C) pH: 7,4

Method: OECD Test Guideline 107 GLP: No information available.

Polidocanol:

Partition coefficient: n-

octanol/water

Remarks: No data available

DNase I

Components:

Nuclease, deoxyribo-:

Partition coefficient: n-

octanol/water

Remarks: No data available

Calcium chloride dihydrate:

Bioaccumulation Remarks: No data available

Partition coefficient: n-

octanol/water

Remarks: Not applicable

DNase Incubation Buffer (IB)

No data available

Magnetic Glass Particles

Components:

propan-2-ol:

Bioaccumulation Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is not expected.

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Partition coefficient: n- : log Pow: 0,05 (25 °C)

octanol/water GLP: no

Proteinase K

Components:

Proteinase, Tritirachium album serine:

Partition coefficient: n- : Remarks: No data available

octanol/water

Proteinase K Incubation Buffer

No data available

Elution Buffer (EB)

No data available

Lysis Buffer

Components:

guanidinium thiocyanate:

Partition coefficient: n- : log Pow: -1,11 (25 °C)

octanol/water pH: > 5,1

Method: Regulation (EC) No. 440/2008, Annex, A.8

GLP: no

(R*,R*)-1,4-dimercaptobutane-2,3-diol:

Partition coefficient: n- : log Pow: 0,07 (25 °C)

octanol/water pH: 5,0

Method: OECD Test Guideline 117

GLP: yes

Proteinase K, PCR grade

Components:

Proteinase, Tritirachium album serine:

Partition coefficient: n- : Remarks: No data available

octanol/water

Tissue Lysis Buffer

Components:

Edetic acid disodium salt dihydrate (EDTA-2Na-2H2O):

Partition coefficient: n- : Remarks: No data available

octanol/water

12.4 Mobility in soil

Wash Buffer I (d-WB I m/l)

No data available



according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Wash Buffer II

No data available

Binding Buffer

No data available

DNase I

No data available

DNase Incubation Buffer (IB)

No data available

Magnetic Glass Particles

No data available

Proteinase K

No data available

Proteinase K Incubation Buffer

No data available

Elution Buffer (EB)

No data available

Lysis Buffer

No data available

Proteinase K, PCR grade

No data available

Tissue Lysis Buffer

No data available

12.5 Results of PBT and vPvB assessment

Wash Buffer I (d-WB I m/l)

Not relevant

Wash Buffer II

Not relevant

Binding Buffer

Not relevant

DNase I

Not relevant

DNase Incubation Buffer (IB)

Not relevant

Magnetic Glass Particles

Not relevant

Proteinase K

Not relevant

Proteinase K Incubation Buffer

Not relevant

Elution Buffer (EB)

Not relevant



according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Lysis Buffer

Not relevant

Proteinase K, PCR grade

Not relevant

Tissue Lysis Buffer

Not relevant

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Wash Buffer I (d-WB I m/l)

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Wash Buffer II

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Binding Buffer

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

DNase I

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at


levels of 0.1% or higher.


DNase Incubation Buffer (IB)

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

according to Regulation (EC) No. 1907/2006





24.01.2023 Date of first issue: 13.11.2012

levels of 0.1% or higher.

Magnetic Glass Particles

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Proteinase K

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Proteinase K Incubation Buffer

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Elution Buffer (EB)

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Lysis Buffer

Assessment The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Proteinase K, PCR grade

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.


Tissue Lysis Buffer

The substance/mixture does not contain components consid-Assessment

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006



Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012



12.7 Other adverse effects

Wash Buffer I (d-WB I m/l)

No data available

Wash Buffer II

No data available

Binding Buffer

No data available

DNase I

No data available

DNase Incubation Buffer (IB)

No data available

Magnetic Glass Particles

No data available

Proteinase K

No data available

Proteinase K Incubation Buffer

No data available

Elution Buffer (EB)

No data available

Lysis Buffer

No data available

Proteinase K, PCR grade

No data available

Tissue Lysis Buffer

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Special treatment as infectious material is mandatory in com-

pliance with local regulations (disinfection and incineration). The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

SECTION 14: Transport information

14.1 UN number or ID number

 ADR
 : UN 1170

 IMDG
 : UN 1170

 IATA
 : UN 1170

14.2 UN proper shipping name

ADR : ETHANOL IMDG : ETHANOL IATA : Ethanol

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADR
 : 3

 IMDG
 : 3

 IATA
 : 3

14.4 Packing group

ADR

Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3
Tunnel restriction code : (D/E)

IMDG

Packing group : II Labels : 3 EmS Code : F-E, S-D

IATA (Cargo)

Packing instruction (cargo : 364

aircraft)

Packing instruction (LQ) : Y341
Packing group : II

Labels : Flammable Liquids

IATA (Passenger)

Packing instruction (passen: 353

ger aircraft)

Packing instruction (LQ) : Y341
Packing group : II

Labels : Flammable Liquids

14.5 Environmental hazards

ADR

Environmentally hazardous : no

IMDG

Marine pollutant : no

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version **Revision Date:** Date of last issue: 01.02.2022 24.01.2023 Date of first issue: 13.11.2012 7.0

14.6 Special precautions for user

Remarks No data available

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

P₅c

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

FLAMMABLE LIQUIDS

Water hazard class (Germa- : WGK 2 obviously hazardous to water

ny)

Wash Buffer I (d-WB I m/l)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

The components of this product are reported in the following inventories:

AIIC On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

DSL : All components of this product are on the Canadian DSL

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TECI: On the inventory, or in compliance with the inventory

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 28,4 %

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

H302 Harmful if swallowed.H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with water. P337 + P313 If eye irritation persists: Get medical advice/

attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

alcohol-resistant foam to extinguish.

Hazardous components which must be listed on the label:

50-01-1 guanidinium chloride

Wash Buffer II

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TECI: On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 30,34 %

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with water.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Binding Buffer

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TECI: Not in compliance with the inventory

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 56,09 %

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Hazardous components which must be listed on the label:

9002-92-0 Polidocanol

DNase I

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AIIC : Not in compliance with the inventory

DSL : This product contains the following components listed on the

Canadian NDSL. All other components are on the Canadian

DSL.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Nuclease, deoxyribo-

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TECI: Not in compliance with the inventory

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Precautionary statements : Prevention:

P261 Avoid breathing dust.P280 Wear protective gloves.P284 Wear respiratory protection.

Response:

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

9003-98-9 Nuclease, deoxyribo-

DNase Incubation Buffer (IB)

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TECI: On the inventory, or in compliance with the inventory

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Magnetic Glass Particles

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Magnetic glass particles (MGP)

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

TECI: Not in compliance with the inventory

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.P261 Avoid breathing mist or vapours.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with water.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Hazardous components which must be listed on the label:

67-63-0 propan-2-ol

Proteinase K

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Proteinase, Tritirachium album serine

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

TECI: Not in compliance with the inventory

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 Date of first issue: 13.11.2012

Hazard pictograms :





Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements : Prevention:

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

P284 Wear respiratory protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON

CENTER/ doctor if you feel unwell.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

39450-01-6 Proteinase, Tritirachium album serine

Proteinase K Incubation Buffer

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

Not applicable

REACH - List of substances subject to authorisation :

89 / 97

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

(Annex XIV)

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TECI: On the inventory, or in compliance with the inventory

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Elution Buffer (EB)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TECI: On the inventory, or in compliance with the inventory

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Lysis Buffer

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

lowing entries should be considered: Number on list 3

Conditions of restriction for the fol-

REACH - Candidate List of Substances of Very High

: Not applicable

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Regulation (EC) No 649/2012 of the European Parlia: Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TECI: Not in compliance with the inventory

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,3 %

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

H412 Harmful to aquatic life with long lasting effects.

Supplemental Hazard

Statements

EUH032

Contact with acids liberates very toxic

gas.

EUH071 Corrosive to the respiratory tract.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth, Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

593-84-0 guanidinium thiocyanate

3483-12-3 (R*,R*)-1,4-dimercaptobutane-2,3-diol

Proteinase K, PCR grade

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Proteinase, Tritirachium album serine

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI: Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

TECI: Not in compliance with the inventory

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Precautionary statements : Prevention:

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

P284 Wear respiratory protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON

CENTER/ doctor if you feel unwell.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

39450-01-6 Proteinase, Tritirachium album serine

Tissue Lysis Buffer

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

,

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

,

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TECI: On the inventory, or in compliance with the inventory

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.

H302 : Harmful if swallowed.

H312 : Harmful in contact with skin.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H334 : May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

H335 : May cause respiratory irritation. H336 : May cause drowsiness or dizziness.

H373 : May cause damage to organs through prolonged or repeated

exposure if inhaled.

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation

according to Regulation (EC) No. 1907/2006



MagNA Pure LC RNA Isolation Kit III (Tissue)

Version Revision Date: Date of last issue: 01.02.2022 7.0 24.01.2023 Date of first issue: 13.11.2012

Flam. Liq. : Flammable liquids Resp. Sens. : Respiratory sensitisation

Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN / 2204