SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MagNA Pure LC DNA Isolation Kit II (Tissue)

Product code : 03186229001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended restrictions on use : For use in research only

1.3 Details of the supplier of the safety data sheet

Company : Roche Diagnostics Deutschland GmbH
Sandhoferstrasse 116
68305 Mannheim
Deutschland

Telephone : +496217590
Telefax : +496217592890
Responsible Department : +49(0)621-759-4223
E-mail address : info.dia-sds@roche.com

1.4 Emergency telephone number

In case of emergencies: : Central Works Security Roche Diagnostics GmbH +49(0)621-759-2203

Centre for detoxification: : Mainz +49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product is a kit consisting of individual ingredients. The classification of the ingredients can be obtained from section 3. Section Label elements contains the resulting labelling for the kit.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H412 Harmful to aquatic life with long lasting effects.

Supplemental Hazard Statements : EUH032 Contact with acids liberates very toxic gas.

EUH071 Corrosive to the respiratory tract.

Precautionary statements :

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

2.3 Other hazards

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties for environment , according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Wash Buffer I (d-WB I m/l)

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
guanidinium chloride	50-01-1 200-002-3 607-148-00-0 01-2119977063-35	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 --- Acute toxicity esti-mate Acute oral toxicity: 475 mg/kg Acute inhalation tox-icity (dust/mist): 3,2 mg/l	>= 30,0 - < 50,0
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 20,0 - < 30,0

For explanation of abbreviations see section 16.

Wash Buffer II

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Eye irritation, Category 2	H319: Causes serious eye irritation.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 30,0 - < 50,0

For explanation of abbreviations see section 16.

Wash Buffer III (d-WB3)

Classification (REGULATION (EC) No 1272/2008)
Not a hazardous substance or mixture.

Components
Remarks : No hazardous ingredients

For explanation of abbreviations see section 16.

Lysis/Binding Buffer

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin corrosion, Sub-category 1C	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
guanidinium thiocyanate	593-84-0 209-812-1 615-004-00-3 01-2120735072-65	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Corr. 1C; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412 EUH032, EUH071 Acute toxicity estimate Acute oral toxicity: 593 mg/kg	>= 30,0 - < 50,0
alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl)	9002-93-1	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 2; H411 Acute toxicity estimate Acute oral toxicity: 500 mg/kg	>= 20,0 - < 25,0

For explanation of abbreviations see section 16.

Magnetic Glass Particles

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 70,0 - < 90,0

For explanation of abbreviations see section 16.

Elution Buffer

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Components

Remarks : No hazardous ingredients

For explanation of abbreviations see section 16.

Tissue Lysis/Proteinase K Buffer II

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Components

Remarks : No hazardous ingredients

For explanation of abbreviations see section 16.

Proteinase K

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.

Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Proteinase, Tritirachium album serine	39450-01-6 254-457-8 647-014-00-9	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system)	>= 70,0 - < 90,0

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Call a physician or poison control centre immediately.
Move to fresh air.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO2)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : In case of fire hazardous decomposition products may be produced such as:
Carbon oxides
Nitrogen oxides (NOx)
Sulphur oxides
Hydrogen cyanide (hydrocyanic acid)

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Refer to protective measures listed in sections 7 and 8.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Treat recovered material as described in the section "Disposal considerations".

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
To prevent leaks or spillages from spreading, provide a suitable liquid retention system.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : See label, package insert or internal guidelines

Storage class (TRGS 510) : 3, Flammable liquids

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : This product contains a substance on REACH Annex XIV (substance of very high concern due to endocrine disrupting properties for the environment) at or above 0.1% w/w and may only be used under the exemption from authorisation for scientific research and development (including analytical activities, quality control and In-Vitro Diagnostics) under controlled conditions. Only trained and authorised personnel is allowed to handle the substance.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Wash Buffer I (d-WB I m/l)

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5	AGW	200 ppm 380 mg/m3	DE TRGS 900
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m3
	Workers	Dermal	Chronic effects	343 mg/kg
	Workers	Inhalation	Chronic effects	950 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ethanol	Fresh water	0,96 mg/l
	Marine water	0,79 mg/l
	Fresh water sediment	3,6 mg/kg
	Soil	0,63 mg/kg

Wash Buffer II

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5	AGW	200 ppm 380 mg/m3	DE TRGS 900
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m3
	Workers	Dermal	Chronic effects	343 mg/kg
	Workers	Inhalation	Chronic effects	950 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ethanol	Fresh water	0,96 mg/l
	Marine water	0,79 mg/l
	Fresh water sediment	3,6 mg/kg
	Soil	0,63 mg/kg

Wash Buffer III (d-WB3)

Contains no substances with occupational exposure limit values.

Lysis/Binding Buffer

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
guanidinium thiocyanate	593-84-0	IOEL	100 microgram per cubic meter	Category 1 (Roche Group Directive K1, Annex 3): OEL = 100 µg/m3

Magnetic Glass Particles

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	AGW	200 ppm 500 mg/m3	DE TRGS 900
	Peak-limit: excursion factor (category): 2;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
propan-2-ol	67-63-0	Acetone: 25 mg/l (Blood)	Immediately after exposure or after working hours	TRGS 903
		Acetone: 25 mg/l (Urine)	Immediately after exposure or after working hours	TRGS 903

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
propan-2-ol	Workers	Dermal	Long-term systemic effects	888 mg/kg
	Workers	Inhalation	Long-term systemic effects	500 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propan-2-ol	Fresh water	140,9 mg/l
	Marine water	140,9 mg/l
	Fresh water sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Soil	28 mg/kg

Elution Buffer

Contains no substances with occupational exposure limit values.

Tissue Lysis/Proteinase K Buffer II

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
dipotassium hydrogenorthophosphate	Workers	Inhalation	Long-term systemic effects	4,07 mg/m3
	Consumers	Inhalation	Long-term systemic effects	3,04 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
dipotassium hydrogenorthophosphate	Fresh water	0,05 mg/l

	Marine water	0,005 mg/l
	Intermittent use/release	0,5 mg/l
	Sewage treatment plant	100 mg/l

Proteinase K

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Proteinase, Tritirachium album serine	39450-01-6	IOEL	0,00006 mg/m3	Roche Industrial Hygiene Committee (RIHC)

8.2 Exposure controls

Engineering measures

No data available

Personal protective equipment

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Use eye protection according to EN 166.

Hand protection

In case of contact through splashing:
Material : Nitrile rubber
Break through time : > 30 min
Glove thickness : > 0,11 mm

In case of full contact:
Material : butyl-rubber
Break through time : > 480 min
Glove thickness : > 0,4 mm

Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and con-

centration of the dangerous substance at the work place.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Wash Buffer I (d-WB I m/l)

Physical state	:	liquid
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Sustains combustion
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	29 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	6,6 (25 °C)
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	43 hPa

Relative density	:	No data available
Density	:	1,057 g/cm3
Relative vapour density	:	No data available

Wash Buffer II

Physical state	:	liquid
Colour	:	colourless
Odour	:	alcohol-like
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point		24 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	4,0
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	43 hPa
Relative density	:	No data available
Density	:	0,95 g/cm3 (25 °C)

Relative vapour density	:	No data available

Wash Buffer III (d-WB3)

Physical state	:	liquid
Colour	:	colourless
Odour	:	odourless
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	The product is not flammable., Does not sustain combustion.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point		No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	4,0 (25 °C)
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Relative vapour density	:	No data available

Lysis/Binding Buffer

Physical state	:	liquid
Colour	:	colourless
Odour	:	odourless
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	The product is not flammable., Does not sustain combustion.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point		No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	Hazardous decomposition products formed under fire conditions.
pH	:	6,0 - 7,0
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Relative vapour density	:	No data available

Magnetic Glass Particles

Physical state	:	liquid
Colour	:	red brown

Odour	:	alcohol-like
Odour Threshold	:	No data available
Melting point/range	:	-89 °C
Boiling point/boiling range	:	82 °C
Upper explosion limit / Upper flammability limit	:	13,4 %(V)
Lower explosion limit / Lower flammability limit	:	2 %(V)
Flash point		13 °C
Auto-ignition temperature	:	425 °C
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity		
Viscosity, dynamic	:	2,2 mPa.s (20 °C)
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	42 hPa (20 °C)
Relative density	:	No data available
Relative vapour density	:	No data available

Elution Buffer

Physical state	:	liquid
Colour	:	colourless
Odour	:	none
Odour Threshold	:	No data available
Melting point/range	:	No data available

Boiling point/boiling range	:	No data available
Flammability	:	The product is not flammable., Does not sustain combustion.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point		No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	8,9
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Relative vapour density	:	No data available

Tissue Lysis/Proteinase K Buffer II

Physical state	:	liquid
Colour	:	colourless
Odour	:	none
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Does not sustain combustion.

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point		No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	6,6 - 6,9
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	1,155 - 1,173 g/cm3
Relative vapour density	:	No data available

Proteinase K

Physical state	:	solid, (lyophilised)
Colour	:	white
Odour	:	very faint
Odour Threshold	:	Not applicable
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Sustains combustion
Upper explosion limit / Upper	:	No data available

flammability limit

Lower explosion limit / Lower flammability limit	:	No data available
Flash point		does not flash
Auto-ignition temperature	:	No data available
Decomposition temperature	:	Decomposes on heating.
pH	:	6,5 (as aqueous solution)
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Bulk density	:	ca. 35 kg/m3
Relative vapour density	:	Not applicable

9.2 Other information

Wash Buffer I (d-WB I m/l)

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Flammability (liquids)	:	Sustains combustion
Self-ignition	:	425 °C
Evaporation rate	:	No data available
Miscibility with water	:	completely miscible

Wash Buffer II

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Self-ignition	:	425 °C
Evaporation rate	:	No data available
Miscibility with water	:	completely miscible

Wash Buffer III (d-WB3)

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Flammability (liquids)	:	Does not sustain combustion.
Self-ignition	:	No data available
Evaporation rate	:	No data available
Miscibility with water	:	completely miscible

Lysis/Binding Buffer

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Flammability (liquids)	:	Does not sustain combustion.
Self-ignition	:	No data available
Evaporation rate	:	No data available
Miscibility with water	:	completely miscible

Magnetic Glass Particles

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Self-ignition	:	425 °C
Evaporation rate	:	No data available
Miscibility with water	:	completely miscible

Elution Buffer

Explosives	:	Not explosive

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Flammability (liquids)	:	Does not sustain combustion.
Self-ignition	:	No data available
Evaporation rate	:	No data available
Miscibility with water	:	completely miscible

Tissue Lysis/Proteinase K Buffer II

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Flammability (liquids)	:	The product is not flammable., Does not sustain combustion.
Self-ignition	:	No data available
Evaporation rate	:	No data available
Miscibility with water	:	completely miscible

Proteinase K

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Flammability (liquids)	:	Sustains combustion
Self-ignition	:	No data available
Evaporation rate	:	No data available
Miscibility with water	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Contact with acids liberates very toxic gas.
Keep away from heat and sources of ignition.
Reacts with the following substances:
Acids
Oxidizing agents
sodium hypochlorite
No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Exposure to light.
Exposure to moisture

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Strong acids
Strong oxidizing agents
Cyanides
sodium hypochlorite

10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapours.
In case of fire hazardous decomposition products may be produced such as:
Carbon oxides
Nitrogen oxides (NOx)
Sulphur oxides
Hydrogen cyanide (hydrocyanic acid)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Wash Buffer I (d-WB I m/l)

Acute toxicity

Harmful if swallowed.

Components:

guanidinium chloride:

Acute oral toxicity : LD50 Oral (Rat, female): 475 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute toxicity estimate: 475 mg/kg
Method: Calculation method

Acute inhalation toxicity : LC50 (Rat, female): 3,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Method: OECD Test Guideline 403
GLP: yes

LC50 (Rat, male and female): 5,32 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

LC50 (Rat, male): 7,7 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

Acute toxicity estimate: 3,2 mg/l
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 Dermal (Rabbit, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: No mortality observed at this dose.

ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10.470 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 124,7 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
GLP: no

Acute dermal toxicity : (Rabbit): 17.100 mg/kg
GLP: No information available.
Remarks: Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

Components:

guanidinium chloride:

Species	:	Rabbit
Exposure time	:	24 h
Result	:	Irritating to skin.
GLP	:	yes

ethanol:

Species	:	Rabbit
Exposure time	:	24 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

guanidinium chloride:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritating to eyes.
GLP	:	yes

ethanol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritating to eyes.
GLP	:	No information available.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

guanidinium chloride:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
GLP	:	yes

ethanol:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitisation on laboratory animals.
GLP	:	no
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

guanidinium chloride:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster fibroblasts
Method: OECD Test Guideline 473
Result: negative
GLP: no

ethanol:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: No information available.

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse (male)
Application Route: Oral
Dose: 10 or 40% ethanol in water
Method: OECD Test Guideline 478
Result: negative
GLP: No information available.

Carcinogenicity

Not classified based on available information.

Components:

ethanol:

Species	:	Mouse, male and female
Application Route	:	inhalation (vapour)
Exposure time	:	18 month(s)
Control Group	:	yes
Frequency of Treatment	:	19 hours/day
Method	:	OECD Test Guideline 453
Result	:	negative
GLP	:	No information available.
Remarks	:	Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

guanidinium chloride:

Effects on foetal development	:	Species: Rat, female Application Route: Oral Dose: 50, 150, 350 mg/kg bw/day Duration of Single Treatment: 5 - 19 d Developmental Toxicity: NOAEL: 350 mg/kg body weight Method: OECD Test Guideline 414 GLP: yes

ethanol:

Effects on fertility	:	Test Type: Two-generation study Species: Mouse, male and female Application Route: Oral General Toxicity - Parent: NOAEL: 20.700 mg/kg body weight Method: OECD Test Guideline 416 Result: No effects on fertility GLP: No information available.
Effects on foetal development	:	Species: Rat, female Strain: Sprague-Dawley Application Route: Ingestion Duration of Single Treatment: 6 Weeks Developmental Toxicity: NOAEL: 5.200 mg/kg body weight GLP: No information available.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

guanidinium chloride:

Species	:	Rat, male and female
NOAEL	:	100 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Dose	:	25, 100, 300 mg/kg bw/day
Method	:	OECD Test Guideline 408
GLP	:	yes

ethanol:

Species	:	Rat, male and female
LOAEL	:	3156 mg/kg

Application Route	:	Oral
Exposure time	:	14 Weeks
Dose	:	0, 5, 10, 20 mg/Kg
Method	:	OECD Test Guideline 408
GLP	:	yes

Aspiration toxicity

Not classified based on available information.

Wash Buffer II

Acute toxicity

Not classified based on available information.

Components:

ethanol:

Acute oral toxicity	:	LD50 (Rat, male and female): 10.470 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute inhalation toxicity	:	LC50 (Rat, male and female): 124,7 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403 GLP: no
Acute dermal toxicity	:	(Rabbit): 17.100 mg/kg GLP: No information available. Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

ethanol:

Species	:	Rabbit
Exposure time	:	24 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

ethanol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritating to eyes.
GLP	:	No information available.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

ethanol:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitisation on laboratory animals.
GLP	:	no
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

ethanol:

Genotoxicity in vitro	:	Test Type: Microbial mutagenesis assay (Ames test) Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: No information available. Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative GLP: No information available.
Genotoxicity in vivo	:	Test Type: dominant lethal test Species: Mouse (male) Application Route: Oral Dose: 10 or 40% ethanol in water Method: OECD Test Guideline 478 Result: negative GLP: No information available.

Carcinogenicity

Not classified based on available information.

Components:

ethanol:

Species	:	Mouse, male and female

Application Route	:	inhalation (vapour)
Exposure time	:	18 month(s)
Control Group	:	yes
Frequency of Treatment	:	19 hours/day
Method	:	OECD Test Guideline 453
Result	:	negative
GLP	:	No information available.
Remarks	:	Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

ethanol:

Effects on fertility	:	Test Type: Two-generation study Species: Mouse, male and female Application Route: Oral General Toxicity - Parent: NOAEL: 20.700 mg/kg body weight Method: OECD Test Guideline 416 Result: No effects on fertility GLP: No information available.
Effects on foetal development	:	Species: Rat, female Strain: Sprague-Dawley Application Route: Ingestion Duration of Single Treatment: 6 Weeks Developmental Toxicity: NOAEL: 5.200 mg/kg body weight GLP: No information available.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

ethanol:

Species	:	Rat, male and female
LOAEL	:	3156 mg/kg
Application Route	:	Oral
Exposure time	:	14 Weeks
Dose	:	0, 5, 10, 20 mg/Kg
Method	:	OECD Test Guideline 408
GLP	:	yes

Aspiration toxicity

Not classified based on available information.

Wash Buffer III (d-WB3)

Acute toxicity
Not classified based on available information.

Skin corrosion/irritation
Not classified based on available information.

Serious eye damage/eye irritation
Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation
Not classified based on available information.

Respiratory sensitisation
Not classified based on available information.

Germ cell mutagenicity
Not classified based on available information.

Carcinogenicity
Not classified based on available information.

Reproductive toxicity
Not classified based on available information.

STOT - single exposure
Not classified based on available information.

STOT - repeated exposure
Not classified based on available information.

Aspiration toxicity
Not classified based on available information.

Lysis/Binding Buffer

Acute toxicity
Harmful if swallowed.

Components:

guanidinium thiocyanate:

Acute oral toxicity	:	LD50 Oral (Rat, female): 593 mg/kg Method: OECD Test Guideline 401 Symptoms: Vomiting GLP: yes Acute toxicity estimate: 593 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory tract., The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	Assessment: The component/mixture is moderately toxic after single contact with skin.

alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Acute oral toxicity	:	LD50 Oral (Rat): 1.900 - 5.000 mg/kg Acute toxicity estimate: 500 mg/kg Method: Expert judgement
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 3.000 mg/kg

Skin corrosion/irritation

Causes severe burns.

Components:

guanidinium thiocyanate:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	Corrosive after 1 to 4 hours of exposure
GLP	:	yes

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Result	:	Risk of serious damage to eyes.
Remarks	:	May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

guanidinium thiocyanate:

Genotoxicity in vitro	:	Test Type: Microbial mutagenesis assay (Ames test) Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative GLP: no

Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

guanidinium thiocyanate:

Effects on fertility	:	Species: Rat, female Application Route: Oral Dose: 25 GLP: no Remarks: No significant adverse effects were reported Based on data from similar materials
Effects on foetal development	:	Species: Rat, female Application Route: Oral Dose: 50, 150, 350 mg/kg bw/day General Toxicity Maternal: NOAEL: 150 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 350 mg/kg body weight Method: OECD Test Guideline 414 GLP: yes

STOT - single exposure

Corrosive to the respiratory tract.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

guanidinium thiocyanate:

Species	:	Rat, male and female
NOAEL	:	100 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Number of exposures	:	daily
Dose	:	25, 100, 300 mg/kg bw/day
Method	:	OECD Test Guideline 408
GLP	:	yes

Aspiration toxicity

Not classified based on available information.

Magnetic Glass Particles

Acute toxicity

Not classified based on available information.

Components:

propan-2-ol:

Acute oral toxicity	:	LD50 (Rat): 5.840 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 10000 ppm Exposure time: 6 h Test atmosphere: vapour Method: OECD Test Guideline 403 GLP: yes
Acute dermal toxicity	:	LD50 (Rabbit): 13.900 mg/kg Method: OECD Test Guideline 402 GLP: no

Skin corrosion/irritation

Not classified based on available information.

Components:

propan-2-ol:

Species	:	Rabbit
Exposure time	:	4 h
Result	:	No skin irritation
GLP	:	no

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

propan-2-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritating to eyes.
GLP	:	no
Remarks	:	May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

propan-2-ol:

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
GLP	:	yes

Germ cell mutagenicity

Not classified based on available information.

Components:

propan-2-ol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: no

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Carcinogenicity

Not classified based on available information.

Components:

propan-2-ol:

Species	:	Rat, male and female
Application Route	:	inhalation (vapour)
Exposure time	:	104 weeks
Frequency of Treatment	:	5 days/week
Method	:	OECD Test Guideline 451
GLP	:	yes

Reproductive toxicity

Not classified based on available information.

Components:

propan-2-ol:

Effects on fertility	:	Species: Rat, male and female Application Route: Oral General Toxicity - Parent: NOAEL: 853 mg/kg body weight Method: OECD Test Guideline 415 GLP: yes
Effects on foetal development	:	Species: Rat, male and female Application Route: Oral Dose: 596, 1242, 1605 mg/kg bw/day Duration of Single Treatment: 6 - 16 d General Toxicity Maternal: NOAEL: 596 mg/kg body weight Developmental Toxicity: NOAEL: 596 mg/kg body weight Method: OECD Test Guideline 414 GLP: yes

STOT - single exposure

May cause drowsiness or dizziness.

Components:

propan-2-ol:

Assessment	:	May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

propan-2-ol:

Species	:	Rat, male and female
NOAEC	:	5000
Application Route	:	Inhalation
Test atmosphere	:	vapour
Exposure time	:	104 Weeks
Dose	:	500, 2500, 5000 ppm parts per million
GLP	:	yes

Aspiration toxicity

Not classified based on available information.

Elution Buffer

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation
Not classified based on available information.

Respiratory sensitisation
Not classified based on available information.

Germ cell mutagenicity
Not classified based on available information.

Carcinogenicity
Not classified based on available information.

Reproductive toxicity
Not classified based on available information.

STOT - single exposure
Not classified based on available information.

STOT - repeated exposure
Not classified based on available information.

Aspiration toxicity
Not classified based on available information.

Tissue Lysis/Proteinase K Buffer II

Acute toxicity
Not classified based on available information.

Skin corrosion/irritation
Not classified based on available information.

Serious eye damage/eye irritation
Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation
Not classified based on available information.

Respiratory sensitisation
Not classified based on available information.

Germ cell mutagenicity
Not classified based on available information.

Carcinogenicity
Not classified based on available information.

Reproductive toxicity
Not classified based on available information.

STOT - single exposure
Not classified based on available information.

STOT - repeated exposure
Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Proteinase K

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Components:

Proteinase, Tritirachium album serine:

Result	:	Irritating to skin.
Remarks	:	May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Proteinase, Tritirachium album serine:

Result	:	Irritating to eyes.
Remarks	:	May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Proteinase, Tritirachium album serine:

Assessment	:	May cause sensitisation by skin contact.
Remarks	:	Causes sensitisation.
Assessment	:	May cause sensitisation by inhalation.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

Components:

Proteinase, Tritirachium album serine:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

Proteinase, Tritirachium album serine:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified based on available information.

Components:

Proteinase, Tritirachium album serine:

No data available

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Wash Buffer I (d-WB I m/l)

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Solvents may degrease the skin.

Wash Buffer II

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Solvents may degrease the skin.

Wash Buffer III (d-WB3)

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Lysis/Binding Buffer

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Magnetic Glass Particles

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Concentrations substantially above the TLV value may cause

narcotic effects.
Solvents may degrease the skin.

Elution Buffer

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Tissue Lysis/Proteinase K Buffer II

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Proteinase K

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Wash Buffer I (d-WB I m/l)

Components:

guanidinium chloride:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 1.758 mg/l
End point: mortality
Exposure time: 48 h
Test Type: static test
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 70,2 mg/l

aquatic invertebrates		End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: No information available.
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 33,5 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: Regulation (EC) No. 440/2008, Annex, C.3 GLP: yes EC50 (Pseudokirchneriella subcapitata (green algae)): 11,8 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: Regulation (EC) No. 440/2008, Annex, C.3 GLP: yes NOEC (Pseudokirchneriella subcapitata (green algae)): 6,3 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: Regulation (EC) No. 440/2008, Annex, C.3 GLP: yes
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): 7.125 mg/l End point: Growth rate Exposure time: 18 h Test Type: static test Method: DIN 38 412 Part 8 GLP: yes
Toxicity to fish (Chronic toxicity)	:	NOEC: > 181 mg/l End point: mortality Exposure time: 35 d Species: Pimephales promelas (fathead minnow) Test Type: flow-through test Analytical monitoring: yes Method: OECD Test Guideline 210 GLP: No information available.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 2,9 mg/l End point: reproduction rate Exposure time: 21 d Species: Daphnia magna (Water flea) Analytical monitoring: yes Method: OECD Test Guideline 211

GLP: No information available.

Ecotoxicology Assessment

Acute aquatic toxicity	:	This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.
Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available

ethanol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 15.300 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes GLP: No information available.
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Ceriodaphnia dubia (water flea)): 5.012 mg/l Exposure time: 48 h Test Type: static test GLP: No information available.
Toxicity to algae/aquatic plants	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 5 d Analytical monitoring: no Method: OECD Test Guideline 201 GLP: No information available.
Toxicity to microorganisms	:	IC50 (activated sludge): > 1.000 mg/l End point: Growth rate Exposure time: 3 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 209 GLP: No information available. Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC: 250 mg/l Exposure time: 120 h Species: Danio rerio (zebra fish) GLP: No information available.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 9,6 mg/l Exposure time: 7 d GLP: No information available.

Ecotoxicology Assessment

Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to	:	No data available

the environment

Wash Buffer II

Components:

ethanol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 15.300 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes GLP: No information available.
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Ceriodaphnia dubia (water flea)): 5.012 mg/l Exposure time: 48 h Test Type: static test GLP: No information available.
Toxicity to algae/aquatic plants	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 5 d Analytical monitoring: no Method: OECD Test Guideline 201 GLP: No information available.
Toxicity to microorganisms	:	IC50 (activated sludge): > 1.000 mg/l End point: Growth rate Exposure time: 3 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 209 GLP: No information available. Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC: 250 mg/l Exposure time: 120 h Species: Danio rerio (zebra fish) GLP: No information available.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 9,6 mg/l Exposure time: 7 d GLP: No information available.

Ecotoxicology Assessment

Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available

Wash Buffer III (d-WB3)

No data available

Lysis/Binding Buffer

Components:

guanidinium thiocyanate:

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): 89,1 mg/l End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: no Method: OECD Test Guideline 203 GLP: no
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 42,4 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: no Method: OECD Test Guideline 202 GLP: no
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 130 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test GLP: No information available.
Toxicity to microorganisms	:	EC50 (activated sludge): > 185 mg/l Exposure time: 28 d Test Type: static test Method: OECD Test Guideline 302B GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity	:	Harmful to aquatic life with long lasting effects.
Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available

alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 4 - 8,9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 18 - 26 mg/l Exposure time: 48 h

Ecotoxicology Assessment

Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available

Magnetic Glass Particles

Components:

propan-2-ol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 10.000 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: no
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): > 10.000 mg/l End point: Immobilization Exposure time: 24 h Test Type: static test Analytical monitoring: no Method: OECD Test Guideline 202 GLP: no
Toxicity to algae/aquatic plants	:	EC10 (Scenedesmus quadricauda (Green algae)): 1.800 mg/l Exposure time: 7 d Test Type: static test Analytical monitoring: no GLP: no
Toxicity to microorganisms	:	(Pseudomonas putida): 1.050 mg/l Exposure time: 16 h Test Type: static test Analytical monitoring: no Method: DIN 38 412 Part 8 GLP: no

Ecotoxicology Assessment

Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available

Elution Buffer

No data available

Tissue Lysis/Proteinase K Buffer II

No data available

Proteinase K

Components:

Proteinase, Tritirachium album serine:

Ecotoxicology Assessment

Toxicity Data on Soil	:	Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

12.2 Persistence and degradability

Wash Buffer I (d-WB I m/l)

Components:

guanidinium chloride:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, adapted
Concentration: 10 mg/l
Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 33 d
Method: OECD Test Guideline 301C
GLP: yes

Impact on Sewage Treatment : Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

ethanol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d
GLP: No information available.

Wash Buffer II

Components:

ethanol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d
GLP: No information available.

Wash Buffer III (d-WB3)

No data available

Lysis/Binding Buffer

Components:

guanidinium thiocyanate:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 343 mg/l

Result: Inherently biodegradable.
Biodegradation: 46 %
Exposure time: 28 d
Method: OECD Test Guideline 302B
GLP: no

alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Biodegradability : Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
Remarks: According to the results of tests of biodegradability this product is not readily biodegradable.

Magnetic Glass Particles

Components:

propan-2-ol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 53 %
Exposure time: 5 d
GLP: no

Elution Buffer

No data available

Tissue Lysis/Proteinase K Buffer II

No data available

Proteinase K

No data available

12.3 Bioaccumulative potential

Wash Buffer I (d-WB I m/l)

Components:

guanidinium chloride:

Partition coefficient: n-octanol/water : log Pow: < -1,7 (20 °C)
pH: 7,4
Method: OECD Test Guideline 107
GLP: yes

ethanol:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Partition coefficient: n-octanol/water : log Pow: -0,35 (24 °C)
pH: 7,4
Method: OECD Test Guideline 107
GLP: No information available.

Wash Buffer II

Components:

ethanol:

Bioaccumulation	:	Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.
Partition coefficient: n-octanol/water	:	log Pow: -0,35 (24 °C) pH: 7,4 Method: OECD Test Guideline 107 GLP: No information available.

Wash Buffer III (d-WB3)

No data available

Lysis/Binding Buffer

Components:

guanidinium thiocyanate:

Partition coefficient: n-octanol/water	:	log Pow: -1,11 (25 °C) pH: > 5,1 Method: Regulation (EC) No. 440/2008, Annex, A.8 GLP: no

alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Bioaccumulation	:	Remarks: No bioaccumulation is to be expected (log Pow <= 4).
Partition coefficient: n-octanol/water	:	Remarks: No data available

Magnetic Glass Particles

Components:

propan-2-ol:

Bioaccumulation	:	Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.
Partition coefficient: n-octanol/water	:	log Pow: 0,05 (25 °C) GLP: no

Elution Buffer

No data available

Tissue Lysis/Proteinase K Buffer II

No data available

Proteinase K

Components:

Proteinase, Tritirachium album serine:

Partition coefficient: n-octanol/water : Remarks: No data available

12.4 Mobility in soil

Wash Buffer I (d-WB I m/l)

No data available

Wash Buffer II

No data available

Wash Buffer III (d-WB3)

No data available

Lysis/Binding Buffer

No data available

Magnetic Glass Particles

No data available

Elution Buffer

No data available

Tissue Lysis/Proteinase K Buffer II

No data available

Proteinase K

No data available

12.5 Results of PBT and vPvB assessment

Wash Buffer I (d-WB I m/l)

Not relevant

Wash Buffer II

Not relevant

Wash Buffer III (d-WB3)

Not relevant

Lysis/Binding Buffer

Not relevant

Magnetic Glass Particles

Not relevant

Elution Buffer

Not relevant

Tissue Lysis/Proteinase K Buffer II

Not relevant

Proteinase K

Not relevant

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to have endocrine disrupting properties for environment , according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Wash Buffer I (d-WB I m/l)

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Wash Buffer II

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Wash Buffer III (d-WB3)

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Lysis/Binding Buffer

Assessment : This substance/mixture contains components considered to have endocrine disrupting properties for environment , according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Components:

alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):

Assessment : The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for the environment.

Magnetic Glass Particles

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Elution Buffer

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Tissue Lysis/Proteinase K Buffer II

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Proteinase K

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Wash Buffer I (d-WB I m/l)

No data available

Wash Buffer II

No data available

Wash Buffer III (d-WB3)

No data available

Lysis/Binding Buffer

No data available

Magnetic Glass Particles

No data available

Elution Buffer

No data available

Tissue Lysis/Proteinase K Buffer II

No data available

Proteinase K

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product contains a substance on REACH Annex XIV at or above 0.1% w/w. Cartridges / rests of product to be disposed of as if it was hazardous waste.

The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 1170

IMDG : UN 1170

IATA : UN 1170

14.2 UN proper shipping name

ADR : ETHANOL

IMDG : ETHANOL

IATA : Ethanol

14.3 Transport hazard class(es)

ADR : 3

IMDG : 3

IATA : 3

14.4 Packing group

ADR

Packing group	:	II
Classification Code	:	F1
Hazard Identification Number	:	33
Labels	:	3
Tunnel restriction code	:	(D/E)

IMDG

Packing group	:	II
Labels	:	3
EmS Code	:	F-E, S-D

IATA (Cargo)

Packing instruction (cargo aircraft)	:	364
Packing instruction (LQ)	:	Y341
Packing group	:	II
Labels	:	Flammable Liquids

IATA (Passenger)

Packing instruction (passenger aircraft)	:	353
Packing instruction (LQ)	:	Y341
Packing group	:	II
Labels	:	Flammable Liquids

14.5 Environmental hazards

ADR

Environmentally hazardous	:	no

IMDG

Marine pollutant	:	no

14.6 Special precautions for user

Remarks	:	No data available

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks	:	Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	:	P5c	FLAMMABLE LIQUIDS
Water hazard class (Germany)	:	WGK 2 obviously hazardous to water	

Wash Buffer I (d-WB I m/l)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

The components of this product are reported in the following inventories:

AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
TECI	:	Not in compliance with the inventory
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 28,4 %

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Hazardous components which must be listed on the label:
50-01-1 guanidinium chloride

Wash Buffer II

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

The components of this product are reported in the following inventories:

AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL

NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
TECI	:	Not in compliance with the inventory
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 36,48 %

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :
H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.

Precautionary statements :

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Wash Buffer III (d-WB3)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

The components of this product are reported in the following inventories:

AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
TECI	:	Not in compliance with the inventory
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Labelling (REGULATION (EC) No 1272/2008)
Not a hazardous substance or mixture.

Lysis/Binding Buffer

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl)
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl) For customers in the European Economic Area:, Contains SVHC:, octyl/nonylphenol ethoxylates., For use in research and under controlled conditions only, – acc. to Art. 56.3 and 3.23 REACH Regulation.

Other regulations:
Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory

KECI	:	Not in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
TECI	:	Not in compliance with the inventory
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements :
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

Supplemental Hazard Statements :
EUH032 Contact with acids liberates very toxic gas.
EUH071 Corrosive to the respiratory tract.

Precautionary statements :

Prevention:

P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

593-84-0	guanidinium thiocyanate
9002-93-1	alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl)

Magnetic Glass Particles

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. Magnetic glass particles (MGP)
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory

PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
TECI	:	Not in compliance with the inventory
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements :
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements :

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Hazardous components which must be listed on the label:

67-63-0 propan-2-ol

Elution Buffer

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

The components of this product are reported in the following inventories:

AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
TECI	:	Not in compliance with the inventory
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Tissue Lysis/Proteinase K Buffer II

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

The components of this product are reported in the following inventories:

AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
TECI	:	Not in compliance with the inventory
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Proteinase K

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Other regulations:
Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. Proteinase, Tritirachium album serine
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.

TECI	:	Not in compliance with the inventory
Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.

Precautionary statements :

Prevention:

P261 Avoid breathing dust.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

39450-01-6 Proteinase, Tritirachium album serine

15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

SECTION 16: Other information

Full text of H-Statements

H225	:	Highly flammable liquid and vapour.
H302	:	Harmful if swallowed.
H312	:	Harmful in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.

H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H334	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	:	May cause respiratory irritation.
H336	:	May cause drowsiness or dizziness.
H411	:	Toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
Resp. Sens.	:	Respiratory sensitisation
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN / 2104